



THREE-POINT MOUNTED ROTARY RAKES

WOLAGRI[®]

tonuttigroup

COMPASS
300 - 350 - 385





Simple and rapid adjustment

Transport and garaging


To reduce transportation dimension, the tine arms are easily moveable and are positioned in the proper holders.

Raking height adjustment

The handle allows millimetric adjustment of the raking height in order to guarantee a drastic reduction in product loss. The adjustment is made directly from the tractor's cabin.

Tangential fork positioning

The angle formed by the forks with respect to the rake is more accentuated to ensure the product is pushed towards the outside of the rotor helping the formation of uniform and well defined swaths.



THREE-POINT MOUNTED ROTARY RAKES

COMPASS 300 - 350 - 385



Collection quality and working comfort

Handling and stability

COMPASS 350 and 385 are equipped with a shock absorber link-rod that improves stability when working on slopes.

Additional support wheel

Every Compass rake can be fitted with a front support wheel (optional) for great raking performances and better ground contour following.

Tandem Wheel (optional)

Thanks to this optional, the machine follows perfectly the terrain shape and earns an improved stability.



Features	COMPASS 300	COMPASS 350	COMPASS 385
Three-point hitch category	I - II	II	II
Hitch type	fixed with suspension	pivoting	pivoting
Working width - cm	300	350	385
Transport width - cm	150		
Number of arms per rotor	9	11	11
Number of tines per arm	3	3	4
Rotor diameter - cm	260	275	310
Tyres	15x6.00 - 6	16x6.50 - 8	16x6.50 - 8
Axle	swivel wheels	fixed wheels	fixed wheels
Tandem axle	n/a	optional	
PTO shaft with clutch		standard	
Swath curtain		standard	
Headstock dampener	n/a	standard	standard
Front support wheel		optional	
Required power (Kw/HP)	15/20	17/23	20/27
Weight - Kg	320	440	470

The WOLAGRI range: High PERFORMANCE, QUALITY AND RELIABILITY



www.tonuttigroup.com

TONUTTI WOLAGRI S.p.A.

Head Office

and Production Plant
Via Gino Tonutti 3 - 33047
Remanzacco (UD) Italy
Phone + 39 0432 667015
Fax + 39 0432 668282
info@tonuttigroup.com

Production Plant

Via Veneto 12/A - 46029
Suzzara (MN) Italy
Phone +39 0376 51211
Fax +39 0376 522215
info@tonuttigroup.com

Tonutti U.S.A. Inc

1655 Panama Street
Memphis, TN 38108
Phone (901) 385 8841
Fax (901) 385 8288
info@tonuttiusa.com

Tonutti Russia T.W. Limited

3 Tekhnicheskaya Street
Perm, 614070 Russia
Phone 007 3422 909096
Fax 007 3422 909096
twltd@perm.ru

TONUTTI WOLAGRI S.p.A. reserves the right to make changes or add improvements at any time without notice. The information contained here in is general in nature and is not intended for specific application purposes.

